ALCOHOL AND OTHER DRUG USE

Policy and Information for Employees and Students South Carolina Technical College System



It is the policy of the South Carolina Technical College System to provide a drug free, healthful, safe and secure work and educational environment. Employees and students are required and expected to report to their work, class, or student activities in appropriate mental and physical condition to meet the requirements and expectations of their respective roles.

The South Carolina Technical College System prohibits the unlawful manufacture, distribution, dispensation, possession or use of narcotics, drugs, other controlled substances and the use of alcohol at the workplace and in the educational setting. Unlawful for these purposes means in violation of federal/state/local regulations, policy, procedures, rules, as well as legal statutes. For purposes of this policy, workplace means either on agency premises or while conducting agency or college business away from the agency or college premises. Educational setting includes both institutional premises or in approved educational sites off campus.

In order to prevent the consequences of alcohol and other drug abuse at the workplace and in the educational setting, the South Carolina Technical College System has implemented this policy to ensure a drug-free work and educational environment.

The South Carolina Technical College System recognizes that chemical dependency through use of controlled or uncontrolled substances, including alcohol, is a treatable illness. The agency supports and recommends employee and student rehabilitation and assistance programs and encourages employees and students to use such programs.

All locations will also implement drug-free awareness programs for employees and students. Such programs will annually ensure that employees and students are aware that:

- 1. Alcohol and other drug abuse at the workplace and in the educational setting is dangerous because it leads to physical impairment, loss of judgement, safety violations and the risk of injury, poor health, or even death. Health risks and effects of controlled substances and alcohol will be provided to students and employees.
- 2. Alcohol and other drug abuse can also significantly lower performance on the job and in the classroom, thus impacting on the agency and the college mission as well as seriously affect the student's educational and career goals.
- 3. Employees must report any personal conviction under a criminal drug statute, for conduct at the workplace, to their human resource officer within five days. Management must report to granting agencies, any employee conviction for conduct in the workplace within ten days of receiving notice.
- 4. It is a condition of employment and admission that all employees and students must abide by the policy on alcohol and other drug use as well as related procedures/statements/laws/guidelines. Violation of any provisions may result in disciplinary action up to and including termination or expulsion respectively, and may have further legal consequences consistent with federal and state laws and regulations. Additionally, management may require an employee or student to enter an employee/student assistance or drug rehabilitation program as a condition of continued employment or enrollment.

services is encouraged.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,, , , , , , , , , , , , , , , , , , ,	
			-
Chief Executive		Date	

5. Use of employee assistance programs (EAP), student assistance programs (SAP), or drug/alcohol rehabilitation

ALCOHOL - EFFECTS & HEALTH RISKS

Alcohol consumption causes a number of marked changes in behavior. Even low doses significantly impair the judgement and coordination required to drive a car safely, increasing the likelihood that the driver will be involved in an accident. Low to moderate doses of alcohol also increase the incidence of a variety of aggressive acts, including spouse and child abuse. Moderate to high doses of alcohol cause marked impairments in higher mental functions, severely altering a person's ability to learn and remember information. Very high doses cause respiratory depression and death. If combined with other depressants (see chart below) of the central nervous system, much lower doses of alcohol will produce the effects just described.

Repeated use of alcohol can lead to dependence. Sudden cessation of alcohol intake is likely to produce withdrawal symptoms, including severe anxiety, tremors, hallucinations, and convulsions. Alcohol withdrawal can be life-threatening. Long-term consumption of large quantities of alcohol, particularly when combined with poor nutrition, can also lead to permanent damage to vital organs such as the brain and the liver.

Mothers who drink alcohol during pregnancy may give birth to infants with fetal alcohol syndrome. These infants have irreversible physical abnormalities and mental retardation. In addition, research indicates that children of alcoholic parents are at greater risk than other youngsters of becoming alcoholics.

Cont	rolled Substance	es - E	ffects	s & Hea	alth Ris	ks
DRUG	SOME TRADE OR	DEPENDEN		POSSIBLE EF	FECTS OF	WITHDRAWAL SYNDROME
NARCOTICS			, 3			
Opium Morphine Codeine Heroin Hydromorphone Meperidine (Pethidine) Methadon Other Narcotics	Dover s Powder, Paregonc. Parapectolin Morphine, MS-Contin. Roxanol. Roxanoi-SR Tylenol/EmpiriniFiorinal w/Codeine Diacetylmorphine, Horse, Smack Dilaudid Demerol, Mepergan Dolophone, Methadone, Methadone Numorphan. Percodan, Percoect, Tylox, Tussenex, Fentanyl, Dimon, Lomotil, Talwin	High High Moderate High High High High	High High Moderate High High High-Low High-Low	Euphoria. drowsiness. respiratory depression. constricted pupils, nausea	Slow and shallow breathing clammy skin, convulsions. coma, possible death	Watery eyes, runny nose, yawning, loss of appetite, irritability, tremors. panic. cramps. nausea. chills and sweating
Chloral Hydrate Barbiturates Benzodiazepines Methaqualone Glutethimide Other Depressants	Noctec Amytal. Butisol Flonnal, Lotusate, Nembutal. Seconal, Tymal, Phenobarbital Ativan, Dalmane, Diazepam Librium, Xanax, Valium, Tranxexe, Verstran, Halcion, Cerax. Paxipam Quaalude Donden Equanil, Miltown, Noludar, Plaadyl. Valmid	Moderate High-Mod. Low High High Moderate	Moderate High-Mod. Low High Moderate Moderate	Slurred speech. disorentation, drunken behavior without odor of alcohol	Shallow respiration, clammy skin, dilated pupils, weak and rapid pulse, coma, possible death	Anxiety, insomnia. tremors, delirium, convulsions. possible death
Cocaine Amphetamines Phenmetrazine Methylphenidate Other Stimulants	Coke. Flake. Snow. Crack Biphetamine, Delcobese. Desoxyn, Dexedrine, Obetrol Preludin Ritalin Adipex. Cylert, Didrex, Ionamin. Melfiat, Plegme. Sancrex. enuate. Tepanil, Prelu-2	Possible Possible Possible Possible	High High High Moderate High	Increased alertness. excitation, euphoria, increased pulse rate & blood pressure, insomnia, loss of appetite	Agitation, increase in body temperature. hallucinations, possible death	Apathy, long periods of sleep, irritability, depression. disorientation
HALLUCINOGENS LSD Mescaline and Peyote Amphetamine Variants Phencyclidine Phencyclidine Analogues Other Hallucinogens	Add, Microdot Mexc, Buttons. Cactus 25-DMA, PMA, STP, MDA, MDMA,TMA, DOM, DOB PCP, Angel Dust, Hog PCE. PCPy, TCP Bufotenine, Ibogaine. DMT. DET, Psilocybin. Psilocyn	None None Unknown Unknown Unknown None	Unknown Unknown Unknown High High Unknown	Illusions and hallucinations, poor perception of time and distance	Longer, more intense 'trip' episodes. psychosis, possible death	Withdrawal syndrome not reported
CANNABIS Marijuana Tetrahydrocannabinol Hashish Hashish Oil	Pot, Acapulco Gold. Grass. Reefer. Sinsemilla, Thai Sticks THC, Manonl Hash Hash Oil	Unknown Unknown Unknown Unknown	Moderate Moderate Moderate Moderate	Euphoria. relaxed inhibitions, increased appetite, disoriented behavior	Fatigue, paranoia. possible psychosis	Insomnia. hyperactivity and decreased appetite occasionally reported

SOUTH CAROLINA LAWS

ALCOHOL

PURCHASE ON BEHALF OF ONE WHO CANNOT LAWFULLY BUY

It is against the law to buy or give beer, wine, and/or alcohol to anyone who cannot buy it for themselves.

Penalty - Fine up to \$200 or confinement up to 30 days and mandatory driver's license suspension of 90 days - 6 months.

(Code 61-9-60)

PURCHASE/POSSESSION BY A MINOR/MISREPRESENTING AGE It

is against the law to drink or possess any form of alcoholic beverage if you are under the age of 21. It is also against the law to lie or furnish false information concerning age in order to obtain any form of alcoholic beverage.

Penalty - Fine up \$200 for first offense and mandatory driver's license suspension of 90 days - 6 months.

(Code 20-7-370/380, 61-9-50)

TRANSFERENCE OF BEER OR WINE

It is against the law to give or transfer beer or wine to anyone under the age of 21. This includes serving anyone in your home except your child or spouse.

Penalty - Fine up to \$200 or confinement up to 30 days.

(Code 61-13-287)

CONTRIBUTING TO THE DELINQUENCY OF A MINOR

It is against the law for any person over 18 to knowingly and willfully influence a minor to violate any law or municipal ordinance. **Penalty** - Fine up to \$3,000 and/or confinement up to three years.

(Code 16-17-490)

POSSESSION OF BEER, WINE, OR LIQUOR

It is against the law to possess beer, wine, or liquor if you are under the age of 21. This includes opened or unopened containers of alcoholic beverage in actual possession or in your immediate surroundings.

Penalty - Fine up to \$100 or confinement up to 30 days and mandatory driver's license suspension of 90 days - 6 months.

(Code 61-9-87, 20-7-370/380)

SALE TO PERSON UNDER AGE

It is against the law to sell beer, ale, or wine to anyone under 21 years old

Penalty - Fine up to \$200 or confinement up to 60 days.

(Code 61-9-40)

DISORDERLY CONDUCT

Students found on any public highway or in any public place who are intoxicated or disorderly may be charged with disorderly conduct. **Penalty -** Fine up to \$100 or confinement up to 30 days.

(Code 16-17-530)

ALTERING AND FRAUDULENT USE OF LICENSE

It is against the law to lend, issue, sell or use your license or anyone's license or a fictitious license (fake ID) for an unlawful purpose. **Penalty** - First offense fine up to \$200 and or confinement up to 30 days, and mandatory driver's license suspension for 90 days - 6 months.

(Code 56-1-510/515, 61-9-50)

DRIVING UNDER THE INFLUENCE (DUI)

It is unlawful for persons under the influence of alcohol or other drugs to drive

Penalty - Not less than \$200 fine; imprisonment up to 5 years; driver license suspension 6 months - permanent.

(Code 56-1-1330,56-5-2930/2940/2990)

FELONY DRIVING UNDER THE INFLUENCE

If you cause bodily harm or death to someone while under the influence of alcohol, drugs or any combination, you are guilty of a felony DUI. **Penalty -** for bodily harm, a mandatory fine up to \$10,000 and mandatory confinement up to 10 years. For death, mandatory fine up to \$25,000 and mandatory confinement up to 25 years.

(Code 56-5-2945)

CONSENT FOR TESTING

Anyone who drives on South Carolina highways automatically has given consent to a breathalyser test if arrested. If you refuse to submit to a urine and/or blood test your drivers license will be suspended. There is no law that states that you have to be given a driver's license, provisional or temporary.

(Code 56-1-1330, 56-5-2930/2940/2950/2990)

OTHER DRUGS

POSSESSION AND DISTRIBUTION OF DRUGS

It is illegal to have, to make, or to intend to distribute any controlled substance, i.e., cocaine, crack, marijuana, etc.

Penalty - Varies depending upon the circumstances under which the arrest was made and the amount of drugs. Fines up to \$200,000, confinement up to 30 years, and mandatory driver's license suspension for 6 months - 1 year.

(Code 44-53-370)

DISTRIBUTION OF CONTROLLED SUBSTANCE CLOSE TO A SCHOOL

It is against the law and a separate offense to distribute, sell, make or have a controlled substance within a "specified" distance of schools, technical colleges, and/or colleges/universities.

Penalty - Fine up to \$10,000, and/or confinement up to 10 years. (Code 44-53-445)

POSSESSION OR SALE OF DRUG PARAPHERNALIA

It is illegal to possess drug paraphernalia; paraphernalia includes, but is not limited to , such things as:

"Roach clips" - Clips used by dentists to clip bibs around the necks of patients.

"Bong" - Pipe that may or may not use water.

"Carburetor" - Circulating tube with holes at each end. Tube may be made out of glass or metal.

Penalty - Fine up to \$500

(Code 44-53-391)

FEDERAL ILLEGAL POSSESSION PENALTIES CONTROLLED SUBSTANCES

First conviction: Up to 1 year imprisonment and fined at least \$1,000 but not more than \$100,000, or both. After 1 prior drug conviction: At least 15 days in prison, not to exceed 2 years and fined at least \$2,500 but not more than \$250,000, or both. After 2 or more prior drug convictions: At least 90 days in prison, not to exceed 3 years and fined at least \$5,000 but not more than \$250,000, or both. There are special sentencing provisions for possession of crack cocaine: mandatory at least 5 years in prison, not to exceed 20 years and fined up to \$250,000, or both, depending on amount of crack possessed and number of convictions.

In addition, there is forfeiture of personal and real property used to possess, facilitate, transport, or conceal possession of controlled substances. There are also civil fines of up to \$10,000 and denial of Federal benefits, such as student loans, grants, contracts, and professional and commercial licenses, up to 1 year for first offense, up to 5 years for second and subsequent offenses.

(21 U.S.C. 844 (a); 21 U.S.C. 853(a) (2); 881 (a) (7); 21 U.S.C. 881(a) (4); 21 U.S.C. 844a: 21 U.S.C. 853 a)

FEDERAL TRAFFICKING PENALTIES (Examples)

Minimum		m	Maximum		
	1st Offense		1st Offense	2nd Offense	
Marijuana Hashish Hashish Oil	NMT 5 Yrs & NMT \$250,000	2nd Offense NMT 10 Yrs & NMT \$500,000	NLT 10 Yrs & NMT Life & NMT \$4,000,000 (If death/serious injury NLT 20 Yrs.)	NLT 20 Yrs. & NMT Life & NMT \$8,000,000 (If death/serious injury NLT Life)	
Amphetamines Heroin Cocaine PCP LSD Cocaine Base Fentanyl	NLT 5 Yrs NMT 40 Yrs & NMT \$2,000,000 (If death/serious injury NLT 20 years)	NLT 10 Yrs NMT Life & NMT \$4,000,000 (If death/serious injury NLT 20 years)	NLT 10 Yrs NMT Life & NMT \$4,000,000 (If death/serious injury NLT 20 years)	NLT 20 Yrs NMT Life & NMT \$8,000,000 (If death/serious injury NLT Life)	

Local Information

NOTE: NMT- Not More Than NLT - Not Less Than

For information regarding a drug or alcohol prevention program near you, contact one of these organizations:

Abbeville	Cornerstone	(864) 366-9661
Edgefield	Cornerstone	(803) 637-4050
Greenwood	Cornerstone	(864) 227-1001
Laurens	Gateway Counseling Center	(864) 833-6500
McCormick	Cornerstone	(864) 852-3306
Newberry	Westview Behavioral Health Services	(803) 276-5690
Saluda	Saluda Counseling & Intervention Center	(864) 445-2968